


Riffelblech

Stahlgüte: S235JR - (ehemals St 37)
Normen: EN 10025 / EN 59220



Tränenblech

Stahlgüte: S235JR - (ehemals St 37)
Normen: EN 10025 / EN 59220

Stärke mm	Tafelgröße		
	1000 x 2000 mm Gewicht per Tafel kg	1250 x 2500 mm Gewicht per Tafel kg	1500 x 3000 mm Gewicht per Tafel kg
3,00	58,0	91,0	131,0
4,00	76,0	119,0	171,0
5,00	92,0	144,0	207,0
6,00	108,0	169,0	243,0
8,00	140,0	219,0	315,0
10,00	172,0	269,0	387,0

Stärke mm	Tafelgröße		
	1000 x 2000 mm Gewicht per Tafel kg	1250 x 2500 mm Gewicht per Tafel kg	1500 x 3000 mm Gewicht per Tafel kg
3,00	52,0	81,0	117,0
4,00	68,0	107,0	153,0
5,00	84,0	132,0	189,0
6,00	102,0	160,0	230,0
8,00	134,0	209,0	302,0
10,00	166,0	260,0	374,0



Blech warmgewalzt gebeizt-gefettet

Stahlgüte: S355MC
Normen: EN 10149 / EN 10051 / EN 10029

Stärke mm	Tafelgröße		
	1000 x 2000 mm Gewicht per Tafel kg	1250 x 2500 mm Gewicht per Tafel kg	1500 x 3000 mm Gewicht per Tafel kg
3,00	48,0	75,0	108,0
4,00	64,0	100,0	144,0
5,00	80,0	125,0	180,0
6,00	96,0	150,0	216,0
8,00	128,0	200,0	288,0
10,00	160,0	250,0	360,0
12,00	192,0	300,0	432,0
15,00	-	375,0	540,0
20,00	-	500,0	720,0

Noch Fragen ? Rufen Sie uns einfach an.
Wir helfen gerne. Tel. 08131-61224-0

Fragen Sie uns auch nach Blechzuschnitten (Autogen - Scheren - Laserschnitt)